






Technical drawing of a reinforced concrete column cross-section and elevation. The cross-section at the top shows a 300x400 mm rectangle with 220 mm spacing between reinforcement bars. The elevation shows a total height of 3380 mm with a 450 mm base section. Reinforcement is labeled with numbers 1-5 and diameters: 1 ш.200, 2 ш.200, 3 ш.600, 4 ш.200, 5 ш.400. The concrete is labeled "Бетон кл. В25". Green arrows indicate levels at 2,500 and 0,000. Orange arrows labeled "A" indicate load application points.

Technical drawing of a reinforced concrete wall section with a central opening. The drawing shows a vertical section with a central rectangular opening. The wall has a total width of 300 units. The opening is 200 units wide and 200 units high. The wall thickness is 200 units. The drawing includes dimensions for the wall, opening, and reinforcement. Reinforcement is shown as blue lines with dots. Labels include '1 ш.200', '2 ш.200', '3 ш.600', '4 ш.200', 'Бетон кл. В25', 'См-1', 'См-2', 'Ж/б стена (сущ.)', and '5 ш.400'. A section line A-A is indicated at the bottom.

Марка, поз.	Обозначение	Наименование	Кол. шт.	Вес, ед.кз.	Примеч.
1	ГОСТ 34028-2016	Ø12 A500C, Lобщ.=1248,0м	-	0,888	1108,2кз
2	-----//-----	Ø12 A500C, Lобщ.=1270,0м	-	0,888	1127,8кз
3	-----//-----	Ø6 A240, L=380	440	0,08	35,2кз
4	-----//-----	Ø12 A500C, L=850	192	0,75	144,0кз
5	-----//-----	Ø16 A500C, L=650	240	1,03	247,2кз
		Бетон кл. В25	-	-	35,0м³

Поз. 4



						7/02-21-КМ11				
						«Площадка по выращиванию молодняка крупного розатого скота молочной породы на 10000 голов» в с. Казинка, Шаповковского района, Ставропольского края				
Изм.	Кол.уч.	Лист	N док.	Подпись	Дата	Склад кормов		Стадия	Лист	Листов
ГИП		Кулаков			02.22			Р	10	
Гл. констр.		Паленый			02.22	Ж/б монолитная стенка Жбст-3 (по оси "15")		ООО "ГЕОпроект"		
Исполнит.		Бушман			02.22					
Н. контр.		Рукинова			02.22					